

Application No.:10/810,206

Docket No.: JCLA11123

In The Claims:

Please amend the claims as follows:

1. (currently amended) A back light module, comprising:
 - a frame;
 - a reflector disposed on a bottom of the frame;
 - at least a light source disposed over the reflector;
 - a diffusion panel disposed on the frame and also over the light source, wherein a thickness of the diffusion plate is between 4.1 mm and 15 mm; ~~and~~
at least a supporting component disposed in between the reflector and the diffusion plate;
and
a plurality of optical films disposed on the diffusion plate.
2. (currently amended) The back light module of claim 1, ~~wherein the further comprising at least a supporting component is comprised of a transparent material disposed in between the reflector and the diffusion plate.~~
3. (original) The back light module of claim 1, wherein the light source comprises either at least a tube or at least a light emitting diode (LED) light source.
4. (original) The back light module of claim 1, wherein the optical films comprise a plurality of brightness enhancement films or a plurality of prism films or a combination thereof.

Application No.:10/810,206

Docket No.: JCLA11123

5. (currently amended) A liquid crystal display (LCD), comprising:

- a liquid crystal display panel; and
- a back light module, comprising:
 - a frame;
 - a reflector disposed on the bottom of the frame;
 - at least a light source disposed over the reflector;
 - a diffusion panel disposed on the frame and also over the light source, wherein the thickness of the diffusion plate is between 4.1 mm and 15 mm; ~~and~~
 - at least a supporting component disposed in between the reflector and the diffusion plate; and
 - a plurality of optical films disposed on the diffusion plate.

6. (currently amended) The back light module of claim 5, wherein the ~~further comprising~~
~~at least a supporting component is comprised of a transparent material disposed in between the~~
~~reflector and the diffusion plate.~~

7. (original) The back light module of claim 5, wherein the light source comprises either
at least a tube or at least a light emitting diode (LED) light source.

8. (original) The back light module of claim 5, wherein the optical films comprise a
plurality of brightness enhancement films and a plurality of prism films or a combination thereof.

Application No.:10/810,206

Docket No.: JCLA11123

9. (new) A back light module, comprising:
- a frame;
 - a reflector disposed on a bottom of the frame;
 - at least a light source disposed over the reflector;
 - a diffusion panel disposed on the frame and also over the light source, wherein a thickness of the diffusion plate is in a range of 10-15 mm; and
 - a plurality of optical films disposed on the diffusion plate.
10. (new) The back light module of claim 9, wherein the light source comprises either at least a tube or at least a light emitting diode (LED) light source.
11. (new) The back light module of claim 9, wherein the optical films comprise a plurality of brightness enhancement films or a plurality of prism films or a combination thereof.
12. (new) The back light module of claim 9, further comprising at least a supporting component disposed in between the reflector and the diffusion plate.
13. (new) The back light module of claim 12, wherein the supporting component is comprised of a transparent material.